

**AMENDMENTS TO THE CLAIMS**

**Claim 1 (currently amended):** A method for initiating communication in real-time between users in a multi-user communication environment, the method comprising:

providing a unique code generated by a multi-user communication environment to a first user in the multi-user environment during an exchange of words from a menu of predetermined words between the first user and at least least one other user, the code being transmitted by the first user to the at least one other user via a mode outside of the multi-user communication environment;

initiating secure free form communication between the users upon the unique code being authenticated in the multi-user communication environment after the unique code is submitted to the multi-user communication environment by the at least one other user.

**Claim 2 (original):** The method according to claim 1, wherein the unique code is provided by the multi-user communication environment.

**Claim 3 (original):** The method according to claim 2, wherein the multi-user communication environment is an online multiplayer gaming environment.

**Claim 4 (original):** The method according to claim 1, wherein the code is transmitted by the first user through at least one of an email program, a telephone conversation, a handwritten note, a chat room program, direct communication, an instant message program, and a facsimile.

**Claim 5 (previously presented):** The method according to claim 1, wherein the first user initiates real-time and secure communication with the at least one other user after the code is authenticated in the multi-user communication environment.

**Claim 6 (original):** The method according to claim 1, wherein the code comprises a sequence of symbols.

**Claim 7 (original):** The method according to claim 1, wherein the code comprises a sequence of alpha-numeric symbols.

**Claims 8 - 23 (canceled)**

**Claim 24 (previously presented):** A computer readable media having instructions for facilitating secure communication in real-time between users in a multi-user communication environment, the instructions performing steps comprising:

allowing the users to communicate within the multi-user communication environment by exchanging words selected from a menu of pre-determined words;

providing a unique code generated by the multi-user communications environment to a first user in the multi-user communications environment while the predetermined word communications are being exchanged between the users, wherein the unique code transmitted by the first user to at least one other user is transmitted via a mode outside of the multi-user communication environment; and

allowing the free form communications between the users upon the at least one other user submitting the unique code generated by the multi-user environment to the multi-user communications environment for authenticating the unique code with the multi-user communication environment.

**Claim 25 (previously presented):** The computer readable media according to claim 24, wherein the unique code is a random sequence of symbols generated by the multi-user environment.

**Claim 26 (previously presented):** The computer readable media according to claim 24, wherein the multi-user environment is an online multiplayer gaming environment.

**Claim 27 (previously presented):** The computer readable media according to claim 24, wherein the unique code is provided in response to a request by the first one of the two users.

**Claim 28 (previously presented):** The computer readable media according to claim 24, wherein the unique code is valid for a limited period of time.

**Claims 29 - 43 (canceled)**

**Claim 44 (previously presented):** A method for initiating free form communication between a plurality of users in a multi-user gaming via an exchange of words selected from a menu of predetermined words, the method comprising:

- providing a unique code generated by the multi-user gaming environment to a first user in the multi-user gaming environment during the exchange of words selected from the menu of predetermined words between the first user and at least a second user;

- the first user transmitting the unique code to the at least second user via a mode outside of the multi-user gaming environment;

- the at least second user receiving the unique code from the first user;

- the at least second user submitting the unique code to the multi-user gaming environment for authentication; and

- the environment permitting the first and at least second users to thereafter communicate via free form secure communication when the code has been authenticated by the multi-user gaming environment.

**Claim 45 (previously presented):** The method of claim 44 wherein the menu of predetermined words includes a predetermined set of word commands.

**Claim 46 (previously presented):** The method according to claim 44, wherein the unique code is provided in response to a request by one of the users.

**Claim 47 (previously presented):** The method according to claim 44, wherein the unique code is valid only for a limited period of time.